

PDX models for cancer therapy evaluation


Discover CrownBio's extensive collection of patient-derived xenografts, **HuPrime**, to better evaluate your cancer therapies.

Preclinical drug discovery still faces many challenges, one of which is the need for models which give better insight into clinical outcomes. Patient-derived xenografts (PDX) have proven to be a more predictive preclinical model, demonstrating to be more clinically relevant through better representation of human heterogeneity.

CrownBio provides the largest collection of well-characterized *in vivo* PDX tumor models available for preclinical drug evaluation.

Explore this collection to:

- Diversify your model choice through access to over 2,500 well-characterized PDX models representing more than 30 cancer types.
- Stratify patients into responders, partial, and non-responders, and look for molecular signatures of response.
- Evaluate models through standard efficacy testing or gain more clinical insight by enrolling PDX models into mouse clinical trials.



HuPrime models are well-characterized for pathology, growth characteristics, and response to standard of care (SoC) agents, and are also genetically/genomically annotated for gene expression, gene copy number, mutations, and fusions via NGS technologies, as well as microRNA.

- Large, diverse collection from US, European, and Asian populations, covering over 30 cancer types.
- Models derived from both treatment naïve as well as treated patients.
- Collection includes PDXs derived from metastatic lesions.
- PDX models of both innate and acquired resistance.
- Large cohorts of live PDXs of major disease to enable fast study execution.
- Unique models of specific disease pathways for targeted therapy such as RET, ALK, EGFR, MET, IDH, RSPO, and HER2.
- Unique collections of underrepresented indications, including GIST and prostate cancer.
- Curated, online, searchable database ([HuBase™](#)) of phenotypic and genotypic data, patient information, growth curves, and SoC treatment data.

Translationally Relevant Preclinical Models

[HuPrime](#) is our collection of PDX models which have been QC'd to determine whether they are "fit for efficacy" studies. They exhibit robust and consistent growth characteristics, are fully recoverable from cryogenic preservation, and have sufficient material banked down at multiple passages (master banked) to ensure our ability to perform multiple constant studies.

Extensive characterization data across the collection can be found in our searchable PDX database, [HuBase™](#), and includes: RNAseq of over 1,500 models, whole exome sequencing of over 680 models, histology, growth kinetics, and SoC and investigative treatment data.


The full suite of technology platform annotations can include:

- RNAseq
- Whole exome sequencing (WES)
- Transcriptome sequencing
- Short Tandem Repeat (STR) genotyping
- U219 gene chip array analysis (mRNA)
- SNP6.0 array analysis
- miRNA profiling
- HLA phenotyping
- Hotspot mutation analysis
- Patient and model pathology
- Patient and model treatment
- Growth curves
- SoC response curves

The [HuPrime](#) collection contains models from pretreated and treatment naïve patients, representative of the clinical situation. Tumor biopsy site (primary tumor vs metastatic lesion) is also specified for our models. [HuPrime](#) also includes unique PDX collections of prostate cancer, SCLC, lymphoma, GIST, etc.

These models are seamlessly integrated with CrownBio Translational Oncology platforms to provide a comprehensive suite of translational research tools in [HuTrial™](#), [HuSignature™](#), and [HuMark™](#).

HuPrime Largest Collections by Cancer Type



Our PDX collection features many models which are of specific interest to researchers, example model subsets within the [HuPrime](#) collection are shown overleaf, with many more subsets and targets of interest available within [HuPrime](#).

This includes models with a specific gene mutation, amplification, or fusion of clinical relevance, which are particularly useful for novel agent evaluation. Our PDX models also include metastatic models; models of drug resistance; orthotopic (HCC, CRC, glioma, breast, lung, etc.) models; models recapitulating the tumor microenvironment; and cachexic models which can be used to support a wide field of specific research topics.

Example Subsets Within the HuPrime Collection

Many more subsets of interest are available within the collection.

Cancer Type	Special Features							Additional Special Features
	PIK3CA E545K Mutation	BRAF V600E Mutation	MYC Amplified	EGFR Amplified	FGFR Amplified	HER2 Amplified	MET Amplified	
Bladder	•	•		•				
Brain		•		•				
Breast	•		•		•			Estrogen dependent, ER+, HER2+, TNBC
Cervical								AKT1 E17K mutation
Cholangiocarcinoma	•		•					FGFR2-BICC1 gene fusion, IDH1 R132C mutation
Colorectal		•	•		•	•		RET fusions including CCDC6-RET fusion, PTPRK-RSPO3 mutation, IDH1,2 mutation
Esophageal				•	•	•	•	
Gallbladder	•		•					
Gastric			•	•	•	•	•	HER2 mutation
Head and Neck			•	•				AKT1 mutation
Liver			•					
Lung			•	•	•		•	EGFR mutation, KRAS mutation, AKT1 mutation, LKB1 mutation, PTEN deletion/null, FGFR2-MCU gene fusion
Melanoma		•						
Ovarian			•					
Pancreatic						•		KRAS mutation
Sarcoma		•						



Contact Sales

US: +1.855.827.6968
UK: +44 (0)870 166 6234
busdev@crownbio.com



Schedule Scientific Consultation

Request a consultation to discuss your project.
consultation@crownbio.com



Explore Scientific Data

Log into [HuBase](https://hubase.crownbio.com) to review PDX model data.
hubase.crownbio.com